

2018

Ameline, C., Høye, T. T., Bowden, J. J., Hansen, R. R., Hansen, O. L. P., Puzin, C., . . . Pétillon, J. (2018). Elevational variation of body size and reproductive traits in high-latitude wolf spiders (Araneae: Lycosidae). *Polar Biology*, 41(12), 2561-2574. doi:10.1007/s00300-018-2391-5

Andersen-Ranberg, E. U. B., C.J.; Rasmussen, L.; Salgado-Flores, A.; Grøndahl, C.; Mosbacher, J.B.; Hansen, A.J.; Sundset, M.A.; Schmidt, N.M.; Sonne, C. . (2018). A Comparative Study on the Faecal Bacterial Community and Potential Zoonotic Bacteria of Muskoxen (*Ovibos moschatus*) in Northeast Greenland, Northwest Greenland and Norway. *Microorganisms*, 6, 76. .

Beca-Carretero, P., Olesen, B., Marbà, N., & Krause-Jensen, D. (2018). Response to experimental warming in northern eelgrass populations: comparison across a range of temperature adaptations. *Marine Ecology Progress Series*, 589, 59-72. Retrieved from <https://www.int-res.com/abstracts/meps/v589/p59-72/>.

Boone, W., Rysgaard, S., Carlson, D. F., Meire, L., Kirillov, S., Mortensen, J., . . . Sejr, M. K. (2018). Coastal Freshening Prevents Fjord Bottom Water Renewal in Northeast Greenland: A Mooring Study From 2003 to 2015. *Geophysical Research Letters*, 45(6), 2726-2733. Retrieved from <https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1002/2017GL076591>. doi:10.1002/2017gl076591

Bowden, J. J., Hansen, O. L. P., Olsen, K., Schmidt, N. M., & Høye, T. T. (2018). Drivers of inter-annual variation and long-term change in High-Arctic spider species abundances. *Polar Biology*, 41(8), 1635-1649. Retrieved from <https://doi.org/10.1007/s00300-018-2351-0>. doi:10.1007/s00300-018-2351-0

Cable, S., Christiansen, H. H., Westergaard-Nielsen, A., Kroon, A., & Elberling, B. (2018). Geomorphological and cryostratigraphical analyses of the Zackenberg Valley, NE Greenland and significance of Holocene alluvial fans. *Geomorphology*, 303, 504-523. Retrieved from <https://linkinghub.elsevier.com/retrieve/pii/S0169555X1730466X>.

Cable, S., Elberling, B., & Kroon, A. (2018). Holocene permafrost history and cryostratigraphy in the High-Arctic Adventdalen Valley, central Svalbard. *Boreas*, 47(2), 423-442. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/bor.12286>. doi:10.1111/bor.12286

Christensen, C., Jacobsen, M. W., Nygaard, R., & Hansen, M. M. (2018). Spatiotemporal genetic structure of anadromous Arctic char (*Salvelinus alpinus*) populations in a region experiencing pronounced climate change. *Conservation Genetics*, 19(3), 687-700. doi:10.1007/s10592-018-1047-x

Cirtwill, A. R., Roslin, T., Rasmussen, C., Olesen, J. M., & Stouffer, D. B. (2018). Between-year changes in community composition shape species' roles in an Arctic plant–pollinator network. *Oikos*, 0(0). Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/oik.05074>. doi:doi:10.1111/oik.05074

de Boer, T. E., Roelofs, D., Vooijs, R., Holmstrup, M., & Amorim, M. J. B. (2018). Population-specific transcriptional differences associated with freeze tolerance in a terrestrial worm. *Ecology and Evolution*, 8(7), 3774-3786. doi:10.1002/ece3.3602

Dirk van As, R. S. F., John Cappelen, Roderik S.W. van de Wal, Roger J. Braithwaite,, & team, H. M. a. t. P. p. (2018). Placing Greenland ice sheet ablation measurements in a multi-decadal context. *Geological Survey of Denmark and Greenland Bulletin*, 35, 71–74.

Docherty, C. L., Hannah, D. M., Riis, T., Lund, M., Abermann, J., & Milner, A. M. (2018). Spatio-temporal dynamics of macroinvertebrate communities in northeast Greenlandic snowmelt streams. *Ecohydrology*, 11(7), e1982. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1002/eco.1982>. doi:10.1002/eco.1982

Docherty, C. L., Riis, T., Milner, A. M., Christoffersen, K. S., & Hannah, D. M. (2018). Controls on stream hydrochemistry dynamics in a high Arctic snow-covered watershed. *Hydrological Processes*, 32(22), 3327-3340. doi:10.1002/hyp.13256

Duarte, C. M., & Krause-Jensen, D. (2018). . (2018). Greenland tidal pools as hot spots for ecosystem metabolism and calcification. *Estuaries and Coasts*, 41(5), 1314-1321. doi: doi:<http://dx.doi.org/10.1007/s12237-018-0368-9>

Daan, B., Samuel, F., Imre, B., Riikka, R., Anders, M., & Bo, E. (2018). Contrasting above- and belowground organic matter decomposition and carbon and nitrogen dynamics in response to warming in High Arctic tundra. *Global Change Biology*, 24(6), 2660-2672. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/gcb.14017>. doi:doi:10.1111/gcb.14017

Fausto, R. S., and PROMICE. (2018). The Greenland ice sheet – snowline elevations at the end of the melt seasons from 2000 to 2017. *Geological Survey of Denmark and Greenland Bulletin*, 41, 71-74.

Greunz, E. M., Stelvig, M., Grøndahl, C., Schmidt, N. M., Mosbacher, J. B., Hansen, L. H., & Bertelsen, M. F. (2018). EVALUATION OF TWO ENZYME-LINKED IMMUNOSORBENT ASSAYS MEASURING PREGNANCY-ASSOCIATED GLYCOPROTEINS IN THE BLOOD OF MUSKOXEN (<i>OVIBOS MOSCHATUS</i>). *Journal of Zoo and Wildlife Medicine*, 49(3), 798-801, 794. Retrieved from <https://doi.org/10.1638/2018-0009.1>.

Grøndahl, C. A.-R., E. U., Mosbacher, J. B., Stelvig, M., Hansen, L. H., & Schmidt, N. M. (2018). IMMOBILIZING MUSKOX (*Ovibos moschatus*) UNDER HIGH ARCTIC CONDITIONS. *Journal of Zoo and Wildlife Medicine*, 49(4), 856-862, 857. Retrieved from <https://doi.org/10.1638/2016-0290.1>.

Hansen, C. C. R., Hvilsom, C., Schmidt, N. M., Aastrup, P., Van Coeverden de Groot, P. J., Siegismund, H. R., & Heller, R. (2018). The Muskox Lost a Substantial Part of Its Genetic Diversity on Its Long Road to Greenland. *Current Biology*, 28(24), 4022-4028.e4025. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0960982218314556>. doi:<https://doi.org/10.1016/j.cub.2018.10.054>

Harðardóttir, S., Krock, B., Wohlrab, S., John, U., Nielsen, T. G., & Lundholm, N. (2018). Can domoic acid affect escape response in copepods? *Harmful Algae*, 79, 50-52. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1568988318301276>. doi:<https://doi.org/10.1016/j.hal.2018.08.009>

Kankaanpää, T., Skov, K., Abrego, N., Lund, M., Schmidt, N. M., & Roslin, T. (2018). Spatiotemporal snowmelt patterns within a high Arctic landscape, with implications for flora and fauna. *Arctic, Antarctic, and Alpine Research*, 50(1), e1415624. Retrieved from <https://www.tandfonline.com/doi/abs/10.1080/15230430.2017.1415624>. doi:10.1080/15230430.2017.1415624

Karami, M., Westergaard-Nielsen, A., Normand, S., Treier, U. A., Elberling, B., & Hansen, B. U. (2018). A phenology-based approach to the classification of Arctic tundra ecosystems in Greenland. *ISPRS Journal of Photogrammetry and Remote Sensing*, 146, 518-529. doi:10.1016/j.isprsjprs.2018.11.005

Keegan, K., Daunt, F., Wanless, S., Phillips, R. A., Walling, C. A., Agnew, P., . . . Lewis, S. (2018). Global phenological insensitivity to shifting ocean temperatures among seabirds. *Nature Climate Change*, 8(4), 313-318. doi:10.1038/s41558-018-0115-z

Koltz, A., Schmidt, N. M., & Høye, T. T. (2018). Differential arthropod responses to warming are altering the structure of arctic communities. *Royal Society Open Science*, 5(171503). doi:10.1098/rsos.171503

Krawczyk, D. W., Meire, L., Lopes, C., Juul-Pedersen, T., Mortensen, J., Li, C. L., & Krogh, T. (2018). Seasonal succession, distribution, and diversity of planktonic protists in relation to hydrography of the Godthåbsfjord system (SW Greenland). *Polar Biology*, 41(10), 2033-2052. Retrieved from <https://doi.org/10.1007/s00300-018-2343-0>. doi:10.1007/s00300-018-2343-0

L., D. C., M., H. D., Tenna, R., Magnus, L., Jakob, A., & M., M. A. (2018). Spatio-temporal dynamics of macroinvertebrate communities in northeast Greenlandic snowmelt streams. *Ecohydrology*, 0(0), e1982. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1002/eco.1982>. doi:doi:10.1002/eco.1982

Limoges, A., Massé, G., Weckström, K., Poulin, M., Ellegaard, M., Heikkilä, M., . . . Ribeiro, S. (2018). Spring Succession and Vertical Export of Diatoms and IP25 in a Seasonally Ice-Covered High Arctic Fjord. *Frontiers in Earth Science*, 6(226). Retrieved from <https://www.frontiersin.org/article/10.3389/feart.2018.00226>. doi:10.3389/feart.2018.00226

Liu, S., Ferchaud, A.-L., Grønkjær, P., Nygaard, R., & Hansen, M. M. (2018). Genomic parallelism and lack thereof in contrasting systems of three-spined sticklebacks. *Molecular Ecology*, 27(23), 4725-4743. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/mec.14782>. doi:10.1111/mec.14782

Loboda, S., Savage, J., Buddle, C. M., Schmidt, N. M., & Høye, T. T. (2018). Declining diversity and abundance of High Arctic fly assemblages over two decades of rapid climate warming. *Ecography*, 41(2), 265-277. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/ecog.02747>. doi:doi:10.1111/ecog.02747

López-Blanco, E., Lund, M., Christensen, T. R., Tamstorf, M. P., Smallman, T. L., Slevin, D., . . . Williams, M. (2018). Plant Traits are Key Determinants in Buffering the Meteorological Sensitivity of Net Carbon Exchanges of Arctic Tundra. *Journal of Geophysical Research: Biogeosciences*, 123(9), 2675-2694. Retrieved from <https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2018JG004386>. doi:10.1029/2018jg004386

Lundholm, N., Krock, B., John, U., Skov, J., Cheng, J., Pančić, M., . . . Harðardóttir, S. (2018). Induction of domoic acid production in diatoms—Types of grazers and diatoms are important. *Harmful Algae*, 79, 64-73. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1568988318300957>. doi:<https://doi.org/10.1016/j.hal.2018.06.005>

Marbà, N., Krause-Jensen, D., Masqué, P., & Duarte, C. M. (2018). Expanding Greenland seagrass meadows contribute new sediment carbon sinks. *Scientific Reports*, 8(1), 14024. Retrieved from <https://doi.org/10.1038/s41598-018-32249-w>. doi:10.1038/s41598-018-32249-w

Middelbo, A. B., Sejr, M. K., Arendt, K. E., & Møller, E. F. (2018a). Impact of glacial meltwater on spatiotemporal distribution of copepods and their grazing impact in Young Sound NE, Greenland. *Limnology and Oceanography*, 63(1), 322-336. Retrieved from <https://aslopubs.onlinelibrary.wiley.com/doi/abs/10.1002/lno.10633>. doi:10.1002/lno.10633

Middelbo, A. B., Sejr, M. K., Arendt, K. E., & Møller, E. F. (2018b). Impact of glacial meltwater on spatiotemporal distribution of copepods and their grazing impact in Young Sound NE, Greenland: Impact of meltwater on copepod carbon cycling. *Limnology and Oceanography*, 63(1), 322-336. Retrieved from <http://doi.wiley.com/10.1002/lno.10633>.

Moreau, J., Perroud, L., Bollache, L., Yannic, G., Teixeira, M., Schmidt, N. M., . . . Gilg, O. (2018). Discriminating uniparental and biparental breeding strategies by monitoring nest temperature. *Ibis*, 160(1), 13-22. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/ibi.12507>. doi:doi:10.1111/ibi.12507

Mortensen, J., Rysgaard, S., Arendt, K. E., Juul-Pedersen, T., Søgaard, D. H., Bendtsen, J., & Meire, L. (2018). Local Coastal Water Masses Control Heat Levels in a West Greenland Tidewater Outlet Glacier Fjord. *Journal of Geophysical Research: Oceans*, 123(11), 8068-8083. Retrieved from <https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2018JC014549>. doi:10.1029/2018jc014549

Mota, C. F., Engelen, A. H., Serrao, E. A., Coelho, M. A. G., Marbà, N., Krause-Jensen, D., & Pearson, G. A. (2018). Differentiation in fitness-related traits in response to elevated temperatures between leading and trailing edge populations of marine macrophytes. *PLOS ONE*, 13(9), e0203666. Retrieved from <https://doi.org/10.1371/journal.pone.0203666>. doi:10.1371/journal.pone.0203666

Neiva, J., Paulino, C., Nielsen, M. M., Krause-Jensen, D., Saunders, G. W., Assis, J., . . . Serrão, E. A. (2018). Glacial vicariance drives phylogeographic diversification in the amphi-boreal kelp *Saccharina latissima*. *Scientific Reports*, 8(1), 1112. Retrieved from <https://doi.org/10.1038/s41598-018-19620-7>. doi:10.1038/s41598-018-19620-7

Pedersen, S. H., Liston, G. E., Tamstorf, M. P., Abermann, J., Lund, M., & Schmidt, N. M. (2018). Quantifying snow controls on vegetation greenness. *Ecosphere*, 9(6), e02309. Retrieved from <https://doi.org/10.1002/ecs2.2309>. doi:10.1002/ecs2.2309

Qiu, C., Zhu, D., Ciais, P., Guenet, B., Krinner, G., Peng, S., . . . Ziemblinska, K. (2018). ORCHIDEE-PEAT (revision 4596), a model for northern peatland CO₂, water, and energy fluxes on daily to annual scales. *Geoscientific Model Development*, 11(2), 497-519. Retrieved from <https://www.geosci-model-dev.net/11/497/2018/>.

Ramajo, L., Hendriks, I. E., Lagos, N. A., Krause-Jensen, D., Marbà, N., Sejr, M. K., & Duarte, C. M. (2018). Reply to ‘Increased food supply mitigates ocean acidification effects on calcification but exacerbates effects on growth’. *Scientific Reports*, 8(1), 9799. Retrieved from <https://doi.org/10.1038/s41598-018-27670-0>. doi:10.1038/s41598-018-27670-0

Rasmussen, L. H., Zhang, W., Hollesen, J., Cable, S., Christiansen, H. H., Jansson, P.-E., & Elberling, B. (2018). Modelling present and future permafrost thermal regimes in Northeast Greenland. *Cold Regions Science and Technology*, 146, 199-213. Retrieved from <https://linkinghub.elsevier.com/retrieve/pii/S0165232X17301805>.

Rousk, K., Sorensen, P. L., & Michelsen, A. (2018). What drives biological nitrogen fixation in high arctic tundra: Moisture or temperature? *Ecosphere*, 9(2), e02117. Retrieved from <https://esajournals.onlinelibrary.wiley.com/doi/abs/10.1002/ecs2.2117>. doi:doi:10.1002/ecs2.2117

Rysgaard, S., Bendtsen, J., Mortensen, J., & Sejr, M. K. (2018). High geothermal heat flux in close proximity to the Northeast Greenland Ice Stream. *Scientific Reports*, 8(1), 1344. Retrieved from <https://doi.org/10.1038/s41598-018-19244-x>. doi:10.1038/s41598-018-19244-x

Šantl-Temkiv, T., Gosewinkel, U., Starnawski, P., Lever, M., & Finster, K. (2018). Aeolian dispersal of bacteria in southwest Greenland: their sources, abundance, diversity and physiological states. *FEMS Microbiology Ecology*, 94(4). Retrieved from <https://doi.org/10.1093/femsec/fiy031>. doi:10.1093/femsec/fiy031

Schmidt, N. M., Mosbacher, J. B., Eitzinger, B., Vesterinen, E. J., & Roslin, T. (2018). High resistance towards herbivore-induced habitat change in a high Arctic arthropod community. *Biology Letters*, 14(5), 20180054. Retrieved from <https://royalsocietypublishing.org/doi/abs/10.1098/rsbl.2018.0054> doi:10.1098/rsbl.2018.0054

Schmidt, N. M., Mosbacher, J. B., Vesterinen, E. J., Roslin, T., & Michelsen, A. (2018). Limited dietary overlap amongst resident Arctic herbivores in winter: complementary insights from complementary methods. *Oecologia*, 187(3), 689-699. Retrieved from <https://doi.org/10.1007/s00442-018-4147-x>. doi:10.1007/s00442-018-4147-x

Sonne, C., Andersen-Ranberg, E., Rajala, E. L., Agerholm, J. S., Bonefeld-Jørgensen, E., Desforges, J.-P., . . . Magnusson, U. (2018). Prevalence of antibodies against Brucella spp. in West Greenland polar bears (*Ursus maritimus*) and East Greenland muskoxen (*Ovibos moschatus*). *Polar Biology*. Retrieved from <https://doi.org/10.1007/s00300-018-2307-4>. doi:10.1007/s00300-018-2307-4

Souza, P. E., Kroon, A., & Nielsen, L. (2018). Beach-ridge architecture constrained by beach topography and ground-penetrating radar, Itilleq (Laksebugt), south-west Disko, Greenland - implications for sea-level

reconstructions. *Bulletin of the Geological Society of Denmark*, 66, 167-179.

Stewart, L., Simonsen, C. E., Svenning, J.-C., Schmidt, N. M., & Pellissier, L. (2018). Forecasted homogenization of high Arctic vegetation communities under climate change. *Journal of Biogeography*, 45(11), 2576-2587. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/jbi.13434>. doi:10.1111/jbi.13434

Thiemer, K., Christiansen, D. M., Petersen, N. S., Mortensen, S. M., & Christoffersen, K. S. (2018). Reconstruction of annual growth in relation to summer temperatures and translocation of nutrients in the aquatic moss *Drepanocladus trifarius* from West Greenland. *Polar Biology*, 41(11), 2311-2321. doi:10.1007/s00300-018-2371-9

Tucker, M. A., Böhning-Gaese, K., Fagan, W. F., Fryxell, J. M., Van Moorter, B., Alberts, S. C., . . . Mueller, T. (2018). Moving in the Anthropocene: Global reductions in terrestrial mammalian movements. *Science*, 359(6374), 466-469. Retrieved from <http://science.sciencemag.org/content/sci/359/6374/466.full.pdf>. doi:10.1126/science.aam9712

Vasquez-Cardenas, D., Meire, L., Sørensen, H. L., Glud, R. N., Meysman, F. J. R., & Boschker, H. T. S. (2018). Bacterial chemoautotrophic reoxidation in sub-Arctic sediments: a seasonal study in Kobbefjord, Greenland. *Marine Ecology Progress Series*, 601, 33-39. Retrieved from <https://www.int-res.com/abstracts/meps/v601/p33-39/>.

Virkkala, A.-M., Virtanen, T., Lehtonen, A., Rinne, J., & Luoto, M. (2018). The current state of CO₂ flux chamber studies in the Arctic tundra: A review. *Progress in Physical Geography: Earth and Environment*, 42(2), 162-184. Retrieved from <http://journals.sagepub.com/doi/10.1177/030913317745784>.

Wauthy, M., Rautio, M., Christoffersen, K. S., Forsström, L., Laurion, I., Mariash, H. L., . . . Vincent, W. F. (2018). Increasing dominance of terrigenous organic matter in circumpolar freshwaters due to permafrost thaw. *Limnology and Oceanography Letters*, 3(3), 186-198. doi:10.1002/lol2.10063

Wauthy, M., Rautio, M., Christoffersen, K.S., Forsström, L., Laurion, I., Mariash, H.L., Peura, S. and Vincent, W.F. . (2018). Increasing dominance of terrigenous organic matter in circumpolar freshwaters due to permafrost thaw. *Limnol. Oceanogr.*, 3: , 186-198. . doi:doi:10.1002/lol2.10063

Wenxin, Z., Per-Erik, J., Guy, S., Jørgen, H., Magnus, L., Jakob, A., & Bo, E. (2018). Process-Oriented Modeling of a High Arctic Tundra Ecosystem: Long-Term Carbon Budget and Ecosystem Responses to Interannual Variations of Climate. *Journal of Geophysical Research: Biogeosciences*, 123(4), 1178-1196. Retrieved from <https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1002/2017JG003956>. doi:doi:10.1002/2017JG003956

Westergaard-Nielsen, A., Karami, M., Hansen, B. U., Westermann, S., & Elberling, B. (2018). Contrasting temperature trends across the ice-free part of Greenland. *Scientific Reports*, 8(1), 1586. Retrieved from <https://doi.org/10.1038/s41598-018-19992-w>. doi:10.1038/s41598-018-19992-w

Williams, S., Halfar, J., Zack, T., Hetzinger, S., Blicher, M., & Juul-Pedersen, T. (2018). Comparison of climate signals obtained from encrusting and free-living rhodolith coralline algae. *Chemical Geology*, 476, 418-428. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0009254117306691>. doi:<https://doi.org/10.1016/j.chemgeo.2017.11.038>

Williams, S., Halfar, J., Zack, T., Hetzinger, S., Blicher, M., Juul-Pedersen, T., . . . van de Berg, W. J. (2018). Coralline Algae Archive Fjord Surface Water Temperatures in Southwest Greenland. *Journal of Geophysical Research: Biogeosciences*, 123(8), 2617-2626. Retrieved from <https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2018JG004385>. doi:10.1029/2018jg004385

Wilmking, M., Buras, A., Lehejček, J., Lange, J., Shetti, R., & van der Maaten, E. (2018). Influence of larval outbreaks on the climate reconstruction potential of an Arctic shrub. *Dendrochronologia*, 49, 36-43. Retrieved from <http://linkinghub.elsevier.com/retrieve/pii/S1125786517301649>.

Zhang, W., Jansson, P.-E., Schurgers, G., Hollesen, J., Lund, M., Abermann, J., & Elberling, B. (2018). Process-Oriented Modeling of a High Arctic Tundra Ecosystem: Long-Term Carbon Budget and Ecosystem Responses to Interannual Variations of Climate. *Journal of Geophysical Research: Biogeosciences*, 123(4), 1178-1196. Retrieved from <https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1002/2017JG003956>. doi:10.1002/2017jg003956

Zhang, Y., Xiao, X., Zhang, Y., Wolf, S., Zhou, S., Joiner, J., . . . de Grandcourt, A. (2018). On the relationship between sub-daily instantaneous and daily total gross primary production: Implications for interpreting satellite-based SIF retrievals. *Remote Sensing of Environment*, 205, 276-289. Retrieved from <https://linkinghub.elsevier.com/retrieve/pii/S0034425717305801>.

Ørberg, S. B., Krause-Jensen, D., Mouritsen, K. N., Olesen, B., Marbà, N., Larsen, M. H., . . . Sejr, M. K. (2018). Canopy-Forming Macroalgae Facilitate Recolonization of Sub-Arctic Intertidal Fauna and Reduce Temperature Extremes. *Frontiers in Marine Science*, 5(332). Retrieved from <https://www.frontiersin.org/article/10.3389/fmars.2018.00332>. doi:10.3389/fmars.2018.00332