

GEM referencer 2021

- Abermann, J., Langley, K., Myreng, S. M., Rasmussen, K., & Petersen, D. (2021). Heterogeneous timing of freshwater input into Kobbefjord, a low-arctic fjord in Greenland. *Hydrological Processes*, 35(11), e14413. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1002/hyp.14413>. doi:<https://doi.org/10.1002/hyp.14413>
- Abrego, N., Roslin, T., Huotari, T., Ji, Y., Schmidt, N. M., Wang, J., . . . Ovaskainen, O. (2021). Accounting for species interactions is necessary for predicting how arctic arthropod communities respond to climate change. *Ecography*, 44(6), 885-896. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/ecog.05547>. doi:<https://doi.org/10.1111/ecog.05547>
- Berg, R. P. K. D., Stensvold, C. R., Jokelainen, P., Grønlund, A. K., Nielsen, H. V., Kutz, S., & Kapel, C. M. O. (2021). Zoonotic pathogens in wild muskoxen (*Ovibos moschatus*) and domestic sheep (*Ovis aries*) from Greenland. *Veterinary Medicine and Science*, 7(6), 2290-2302. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1002/vms3.599>. doi:<https://doi.org/10.1002/vms3.599>
- Bonnet-Lebrun, A.-S., Dias, M. P., Phillips, R. A., Granadeiro, J. P., Brooke, M. d. L., Chastel, O., . . . Catry, P. (2021). Seabird Migration Strategies: Flight Budgets, Diel Activity Patterns, and Lunar Influence. *Frontiers in Marine Science*, 8. Retrieved from <https://www.frontiersin.org/article/10.3389/fmars.2021.683071>. doi:10.3389/fmars.2021.683071
- Bridier, G., Olivier, F., Chauvaud, L., Sejr, M. K., & Grall, J. (2021). Food source diversity, trophic plasticity, and omnivory enhance the stability of a shallow benthic food web from a high-Arctic fjord exposed to freshwater inputs. *Limnology and Oceanography*, 66(S1), S259-S272. Retrieved from <https://aslopubs.onlinelibrary.wiley.com/doi/abs/10.1002/lno.11688>. doi:<https://doi.org/10.1002/lno.11688>
- Bringloe, T. T., Sauermann, R., Krause-Jensen, D., Olesen, B., Klimova, A., Klochkova, T. A., & Verbruggen, H. (2021). High-throughput sequencing of the kelp Alaria (Phaeophyceae) reveals epi-endobiotic associations, including a likely phaeophycean parasite. *European Journal of Phycology*, 1-11. Retrieved from <https://doi.org/10.1080/09670262.2021.1882704>. doi:10.1080/09670262.2021.1882704
- Bruhn, C. S., Wohlrab, S., Krock, B., Lundholm, N., & John, U. (2021). Seasonal plankton succession is in accordance with phycotoxin occurrence in Disko Bay, West Greenland. *Harmful Algae*, 103, 101978. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1568988321000056>. doi:<https://doi.org/10.1016/j.hal.2021.101978>
- Chimienti, M., van Beest, F. M., Beumer, L. T., Desforges, J.-P., Hansen, L. H., Stelvig, M., & Schmidt, N. M. (2021). Quantifying behavior and life-history events of an Arctic ungulate from year-long continuous accelerometer data. *Ecosphere*, 12(6), e03565. Retrieved from <https://esajournals.onlinelibrary.wiley.com/doi/abs/10.1002/ecs2.3565>. doi:<https://doi.org/10.1002/ecs2.3565>
- Christensen, T. R., Lund, M., Skov, K., Abermann, J., López-Blanco, E., Scheller, J., . . . Masteponov, M. (2021). Multiple Ecosystem Effects of Extreme Weather Events in the Arctic. *Ecosystems*, 24(1), 122-136. Retrieved from <https://doi.org/10.1007/s10021-020-00507-6>. doi:10.1007/s10021-020-00507-6
- Davies, T. E., Carneiro, A. P. B., Tarzia, M., Wakefield, E., Hennicke, J. C., Frederiksen, M., . . . Dias, M. P. (2021). Multispecies tracking reveals a major seabird hotspot in the North Atlantic. *Conservation Letters*, 14(5), e12824. Retrieved from <https://conbio.onlinelibrary.wiley.com/doi/abs/10.1111/conl.12824>. doi:<https://doi.org/10.1111/conl.12824>
- Desforges, J.-P., Marques, G. M., Beumer, L. T., Chimienti, M., Hansen, L. H., Pedersen, S. H., . . . van Beest, F. M. (2021). Environment and physiology shape Arctic ungulate population dynamics. *Global Change Biology*, 27(9), 1755-1771. Retrieved from

- <https://onlinelibrary.wiley.com/doi/abs/10.1111/gcb.15484>.
doi:<https://doi.org/10.1111/gcb.15484>
- Desforges, J.-P., van Beest, F. M., Marques, G. M., Pedersen, S. H., Beumer, L. T., Chimienti, M., & Schmidt, N. M. (2021). Quantifying energetic and fitness consequences of seasonal heterothermy in an Arctic ungulate. *Ecology and Evolution*, 11(1), 338-351. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1002/ece3.7049>.
doi:<https://doi.org/10.1002/ece3.7049>
- Duncan, R. J., Andrew, M. E., & Forchhammer, M. C. (2021). Snow mediates climatic impacts on Arctic herbivore populations. *Polar Biology*, 44(7), 1251-1271. Retrieved from <https://doi.org/10.1007/s00300-021-02871-y>. doi:10.1007/s00300-021-02871-y
- Ezhova, E., Orlov, D., Suhonen, E., Kaverin, D., Mahura, A., Gennadinik, V., . . . Kulmala, M. (2021). Climatic Factors Influencing the Anthrax Outbreak of 2016 in Siberia, Russia. *Ecohealth*, 18(2), 217-228. doi:10.1007/s10393-021-01549-5
- Gooday, A. J., Holzmann, M., Goetz, E., Cedhagen, T., Korsun, S., & Pawlowski, J. (2021). Three new species of Gromia (Protista, Rhizaria) from western Greenland fjords. *Polar Biology*, 44(6), 1037-1053. Retrieved from <https://doi.org/10.1007/s00300-021-02858-9>. doi:10.1007/s00300-021-02858-9
- Høye, T. T., Loboda, S., Koltz, A. M., Gillespie, M. A. K., Bowden, J. J., & Schmidt, N. M. (2021). Nonlinear trends in abundance and diversity and complex responses to climate change in Arctic arthropods. *Proceedings of the National Academy of Sciences*, 118(2), e2002557117. Retrieved from <https://www.pnas.org/content/pnas/118/2/e2002557117.full.pdf>. doi:10.1073/pnas.2002557117
- Jackson, R., Kvorning, A. B., Limoges, A., Georgiadis, E., Olsen, S. M., Tallberg, P., . . . Ribeiro, S. (2021). Holocene polynya dynamics and their interaction with oceanic heat transport in northernmost Baffin Bay. *Scientific Reports*, 11(1), 10095. Retrieved from <https://doi.org/10.1038/s41598-021-88517-9>. doi:10.1038/s41598-021-88517-9
- Kankaanpää, T., Abrego, N., Vesterinen, E., & Roslin, T. (2021). Microclimate structures communities, predation and herbivory in the High Arctic. *Journal of Animal Ecology*, 90(4), 859-874. Retrieved from <https://besjournals.onlinelibrary.wiley.com/doi/abs/10.1111/1365-2656.13415>.
doi:<https://doi.org/10.1111/1365-2656.13415>
- Kolstad, E., Michelsen, A., & Ambus, P. L. (2021). Nitrous oxide surface fluxes in a low Arctic heath: Effects of experimental warming along a natural snowmelt gradient. *Soil Biology and Biochemistry*, 160, 108346. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0038071721002194>.
doi:<https://doi.org/10.1016/j.soilbio.2021.108346>
- Krause, J., Hopwood, M. J., Höfer, J., Krisch, S., Achterberg, E. P., Alarcón, E., . . . Rosing, M. T. (2021). Trace Element (Fe, Co, Ni and Cu) Dynamics Across the Salinity Gradient in Arctic and Antarctic Glacier Fjords. *Frontiers in Earth Science*, 9. Retrieved from <https://www.frontiersin.org/article/10.3389/feart.2021.725279>. doi:10.3389/feart.2021.725279
- Krawczyk, D. W., Kryk, A., Juggins, S., Burmeister, A., Pearce, C., Seidenkrantz, M. S., . . . Witkowski, A. (2021). Spatio-temporal changes in ocean conditions and primary production in Baffin Bay and the Labrador Sea. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 563, 110175. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0031018220306234>.
doi:<https://doi.org/10.1016/j.palaeo.2020.110175>
- Loisel, J., Gallego-Sala, A. V., Amesbury, M. J., Magnan, G., Anshari, G., Beilman, D. W., . . . Wu, J. (2021). Expert assessment of future vulnerability of the global peatland carbon sink. *Nature Climate Change*, 11(1), 70-77. Retrieved from <https://doi.org/10.1038/s41558-020-00944-0>.
doi:10.1038/s41558-020-00944-0
- Meltofte, H., Hansen, J., & Rigét, F. (2021). Trends in breeding performance in wader populations at Zackenberg, high Arctic Greenland, in relation to environmental drivers 1996–2018. *Polar Biology*. Retrieved from <https://doi.org/10.1007/s00300-021-02922-4>. doi:10.1007/s00300-021-02922-4
- Meyer, N., Bollache, L., Galipaud, M., Moreau, J., Dechaume-Moncharmont, F.-X., Afonso, E., . . . Gilg, O. (2021). Behavioural responses of breeding arctic sandpipers to ground-surface temperature and

- primary productivity. *Science of The Total Environment*, 755, 142485. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0048969720360149>. doi:<https://doi.org/10.1016/j.scitotenv.2020.142485>
- Parker, T. C., Thurston, A. M., Raundrup, K., Subke, J.-A., Wookey, P. A., & Hartley, I. P. (2021). Shrub expansion in the Arctic may induce large-scale carbon losses due to changes in plant-soil interactions. *Plant and Soil*, 463(1), 643-651. Retrieved from <https://doi.org/10.1007/s11104-021-04919-8>. doi:10.1007/s11104-021-04919-8
- Pastor, A., Skovsholt, L. J., Christoffersen, K. S., Wu, N., & Riis, T. (2021). Geomorphology and vegetation drive hydrochemistry changes in two Northeast Greenland streams. *Hydrological Processes*, 35(10), e14369. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1002/hyp.14369>. doi:<https://doi.org/10.1002/hyp.14369>
- Ribeiro, S., Limoges, A., Massé, G., Johansen, K. L., Colgan, W., Weckström, K., . . . Davidson, T. A. (2021). Vulnerability of the North Water ecosystem to climate change. *Nature Communications*, 12(1), 4475. Retrieved from <https://doi.org/10.1038/s41467-021-24742-0>. doi:10.1038/s41467-021-24742-0
- Rudd, D. A., Karami, M., & Fensholt, R. (2021). Towards High-Resolution Land-Cover Classification of Greenland: A Case Study Covering Kobbefjord, Disko and Zackenberg. *Remote Sensing*, 13(18), 3559. Retrieved from <https://www.mdpi.com/2072-4292/13/18/3559>.
- Scheller, J. H., Masteponov, M., Christiansen, H. H., & Christensen, T. R. (2021). Methane in Zackenberg Valley, NE Greenland: multidecadal growing season fluxes of a high-Arctic tundra. *Biogeosciences*, 18(23), 6093-6114. Retrieved from <https://bg.copernicus.org/articles/18/6093/2021/>. doi:10.5194/bg-18-6093-2021
- Schmidt, N. M., van Beest, F. M., Dupuch, A., Hansen, L. H., Desforges, J.-P., & Morris, D. W. (2021). Long-term patterns in winter habitat selection, breeding and predation in a density-fluctuating, high Arctic lemming population. *Oecologia*, 195(4), 927-935. Retrieved from <https://doi.org/10.1007/s00442-021-04882-2>. doi:10.1007/s00442-021-04882-2
- Sejr, M. K., Mouritsen, K. N., Krause-Jensen, D., Olesen, B., Blicher, M. E., & Thyrring, J. (2021). Small Scale Factors Modify Impacts of Temperature, Ice Scour and Waves and Drive Rocky Intertidal Community Structure in a Greenland Fjord. *Frontiers in Marine Science*, 7. Retrieved from <https://www.frontiersin.org/article/10.3389/fmars.2020.607135>. doi:10.3389/fmars.2020.607135
- Stuart-Lee, A. E., Mortensen, J., Kaaden, A.-S. v. d., & Meire, L. (2021). Seasonal Hydrography of Ameralik: A Southwest Greenland Fjord Impacted by a Land-Terminating Glacier. *Journal of Geophysical Research: Oceans*, 126(12), e2021JC017552. Retrieved from <https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2021JC017552>. doi:<https://doi.org/10.1029/2021JC017552>
- Søgaard, D. H., Sorrell, B. K., Sejr, M. K., Andersen, P., Rysgaard, S., Hansen, P. J., . . . Lund-Hansen, L. C. (2021). An under-ice bloom of mixotrophic haptophytes in low nutrient and freshwater-influenced Arctic waters. *Scientific Reports*, 11(1), 2915. Retrieved from <https://doi.org/10.1038/s41598-021-82413-y>. doi:10.1038/s41598-021-82413-y
- Thyrring, J., Wegeberg, S., Blicher, M. E., Krause-Jensen, D., Høglund, S., Olesen, B., . . . Sejr, M. K. (2021). Latitudinal patterns in intertidal ecosystem structure in West Greenland suggest resilience to climate change. *Ecography*, 44(8), 1156-1168. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/ecog.05381>. doi:<https://doi.org/10.1111/ecog.05381>
- van Beest, F. M., Beumer, L. T., Andersen, A. S., Hansson, S. V., & Schmidt, N. M. (2021). Rapid shifts in Arctic tundra species' distributions and inter-specific range overlap under future climate change. *Diversity and Distributions*, 27(9), 1706-1718. Retrieved from <https://onlinelibrary.wiley.com/doi/abs/10.1111/ddi.13362>. doi:<https://doi.org/10.1111/ddi.13362>
- Virkkala, A.-M., Aalto, J., Rogers, B. M., Tagesson, T., Treat, C. C., Natali, S. M., . . . Luoto, M. (2021). Statistical upscaling of ecosystem CO₂ fluxes across the terrestrial tundra and boreal domain:

Regional patterns and uncertainties. *Global Change Biology*, 27(17), 4040-4059. Retrieved from
<https://onlinelibrary.wiley.com/doi/abs/10.1111/gcb.15659>.
doi:<https://doi.org/10.1111/gcb.15659>

Weber, C., Olesen, A. K. J., Krock, B., & Lundholm, N. (2021). Salinity, a climate-change factor affecting growth, domoic acid and isodomoic acid C content in the diatom *Pseudo-nitzschia seriata* (Bacillariophyceae). *Phycologia*, 60(6), 619-630. Retrieved from
<https://doi.org/10.1080/00318884.2021.1973789>. doi:10.1080/00318884.2021.1973789